



P350

# PICKER FLOAT TRAILERS



## INDUSTRY BEST WARRANTY

### 2 YEAR WARRANTY

1 year standard comprehensive and 1 year extended warranty with 5 year structural at no additional cost. *Ask us for details.*

### FLEXIBLE FINANCING

Custom financing solutions available to best suit your business. *Ask us for details.*

## Solid Operator.

The all-new P350 picker float trailer from Brandt has the grit to handle your toughest off-road tasks. Its heavy-duty frame, suspension, and axles deliver maximum durability, making this beast your ideal solution for pipeline and construction jobsites.

### ① Easier to Own

This trailer is backed by the best support in the business to make ownership stress-free:

- Flexible purchasing options include rentals, rental purchasing, leasing, and conventional financing.
- Brandt's advanced paint protection looks better, lasts longer, and inhibits corrosion for longer trailer life and increased resale value.
- Reliable design and long-lasting components reduce total cost of ownership.

### ② Easier to Operate

Productivity is essential to your success, so we optimized the P350 for efficient operation:

- Large oval-shaped hole in the front panel provides easy access to air and electrical connections, allowing you to hook up the trailer faster.
- Sliding rear-suspension allows flexible positioning of the rear axle groups for optimized weight distribution and maneuverability in tight spaces.
- Bolt-on landing gear simplifies maintenance to minimize downtime compared with welded designs.

### ③ Safer

Safety is critical on the jobsite, so the P350 is designed with key features to maximize operator protection:

- Remotely-mounted air-tank drain valves make maintenance safer and faster.
- Optional lighting packages maximize jobsite safety in low-visibility conditions.
- Premium fir decking ensures that the operator has safe, stable footing when working on the trailer.



Powerful Value. **Delivered.**



# HEAVY HAUL TRAILER SPECIFICATIONS

BASE UNIT KEY SPECIFICATIONS		
	39'	42'
RELIABILITY - RATED CAPACITY		
Rated Load on 16' (ton)	35	
Nominal Axle Diameter (in)	5.75" Intraxx LDA	
DURABILITY - STRUCTURE		
Decking/Floor Material	1 1/2" Tongue and Groove Fir	
Paint Finish	Zinc Primer + Polyester Powder Coat	
DIMENSIONS		
Deck Length (ft)	38'10"	42'5"
Overall Length (ft)	38'10"	42'5"
Wheelbase (ft) - 84" KP	23'6" - 27'6"	25'1" - 31'1"
Deck Width (ft)	9'	
Running Gear Width (ft)	8'6"	
Loaded Deck Height (in)	60"	
Loaded Ground Clearance (in)	16"	
Upper Coupler Height (in)	56"	
Swing (in)	127"	
DECK FEATURES		
Swingout Lights	<input type="radio"/>	
Work Lights	<input type="radio"/>	
Off Road Beam Rating	<input checked="" type="radio"/>	
Chain Pockets Every 4' on Outside of Web	<input checked="" type="radio"/>	
SUSPENSION FRAME FEATURES		
Drum Brakes	<input checked="" type="radio"/>	
PAN22 Disc Brakes	<input type="radio"/>	
8.25 X 24.5" Aluminum Wheels	<input type="radio"/>	
11R24.5 Bridgestone M840 On/Off Highway Tires	<input type="radio"/>	
Remote Drain Valve Accessible on Outside of Frame	<input checked="" type="radio"/>	
Mudflaps	<input checked="" type="radio"/>	
Strobe Lights	<input checked="" type="radio"/>	
EASY TO OWN - PURCHASE OPTIONS		
Cash	<input type="radio"/>	
Rent or Lease*	<input type="radio"/>	
Low Rate Lease*	<input type="radio"/>	
PEACE OF MIND - WARRANTY		
1 Year - Comprehensive Bumper to Bumper	<input checked="" type="radio"/>	
2 Year - Comprehensive Bumper to Bumper	<input type="radio"/>	
3 Year - Comprehensive Bumper to Bumper	<input type="radio"/>	

## DIMENSIONS



## FEATURES

### Tough Powder-coat Finish

Highly durable finish maximizes trailer life and resale value.

### Accessible Maintenance Points

Remote air-tank drain valves save you time on daily maintenance.

### Heavy-duty Design and Manufacturing

Ensures this trailer will excel in the toughest applications.

### Sealed Air Control Box

Keeps controls and gauges clean and protected.

### Equipment-style Electrical Harness


Delivers superior durability over conventional trailer harnesses.

# HEAVY HAUL TRAILER SPECIFICATIONS


BASE UNIT KEY SPECIFICATIONS		
	39'	42'
RELIABILITY - RATED CAPACITY		
Rated Load on 16' (ton)	35	
Nominal Axle Diameter (in)	5.75" Intraxx LDA	
DURABILITY - STRUCTURE		
Decking/Floor Material	1 1/2" Tongue and Groove Fir	
Paint Finish	Zinc Primer + Polyester Powder Coat	
DIMENSIONS		
Deck Length (ft)	38'10"	42'5"
Overall Length (ft)	38'10"	42'5"
Wheelbase (ft) - 84" KP	23'6" - 27'6"	25'1" - 31'1"
Deck Width (ft)	9'	
Running Gear Width (ft)	8'6"	
Loaded Deck Height (in)	60"	
Loaded Ground Clearance (in)	16"	
Upper Coupler Height (in)	56"	
Swing (in)	127"	
DECK FEATURES		
Swingout Lights	<input type="radio"/>	
Work Lights	<input type="radio"/>	
Off Road Beam Rating	<input checked="" type="radio"/>	
Chain Pockets Every 4' on Outside of Web	<input checked="" type="radio"/>	
SUSPENSION FRAME FEATURES		
Drum Brakes	<input checked="" type="radio"/>	
PAN22 Disc Brakes	<input type="radio"/>	
8.25 X 24.5" Aluminum Wheels	<input type="radio"/>	
11R24.5 Bridgestone M840 On/Off Highway Tires	<input type="radio"/>	
Remote Drain Valve Accessible on Outside of Frame	<input checked="" type="radio"/>	
Mudflaps	<input checked="" type="radio"/>	
Strobe Lights	<input checked="" type="radio"/>	
EASY TO OWN - PURCHASE OPTIONS		
Cash	<input type="radio"/>	
Rent or Lease*	<input type="radio"/>	
Low Rate Lease*	<input type="radio"/>	
PEACE OF MIND - WARRANTY		
1 Year - Comprehensive Bumper to Bumper	<input checked="" type="radio"/>	
2 Year - Comprehensive Bumper to Bumper	<input type="radio"/>	
3 Year - Comprehensive Bumper to Bumper	<input type="radio"/>	

## DIMENSIONS

### 39'



### 42'



## FEATURES

### Tough Powder-coat Finish

Highly durable finish maximizes trailer life and resale value.

### Accessible Maintenance Points

Remote air-tank drain valves save you time on daily maintenance.

### Heavy-duty Design and Manufacturing

Ensures this trailer will excel in the toughest applications.

### Sealed Air Control Box

Keeps controls and gauges clean and protected.

### Equipment-style Electrical Harness

Delivers superior durability over conventional trailer harnesses.

Included at no extra cost    Option available

\*See Dealer for Details

For more information  
Call us at 1-888-227-2638  
Email us at [sales@brandt.ca](mailto:sales@brandt.ca)  
Or visit us at [brandt.ca/trailers](http://brandt.ca/trailers)

© Brandt Industries Ltd. All rights reserved. The Brandt name and logo are trademarks of Brandt Industries Ltd., used under license. All product information and specifications are subject to change without notification.  
Printed in Canada. Revised 09/2024-CU