

WORKSITE PRO™

ATTACHMENTS



JOHN DEERE





Instant productivity. Just add attachments.

To get more productivity from your skid steer, compact track loader, loader, excavator, or backhoe, hook-up one of the many easy-to-use John Deere Worksite Pro™ attachments. The ever-expanding line-up includes more than 100 models, so you're sure to find the right tool for the job. What's more, each is backed by legendary John Deere parts, service, and warranty coverage. Add an attachment, and watch your productivity instantly increase.



Built-in versatility.

Worksite Pro attachments are optimized for use on our skid steers, compact track loaders, wheel loaders, excavators, and tractor loader backhoes. They're compatible with many comparable brands of machines, too.

Quik-Tatch™ makes any machine a taskmaster.

With the universal, self-cleaning Quik-Tatch easy attachment system found on John Deere skid steers, compact track loaders, 244J Loader, and 110 Tractor Loader Backhoe, you can go from bucket to grapple to whatever in no time flat. Quik-Tatch attachments, Quik-Tatch productivity. That's the Worksite Pro lineup.



See pages 12–15 for the full list of available attachments.



1



4



2



5



3



6



1. Rotary Tillers

Rugged construction, heavy-duty tines, and a tilling depth to 6 inches. Bidirectional operation increases productivity.

SS CTL

2. Material/Manure Scrapers

Push or scrape manure, mud, light snow, or other wet or sloppy materials. Rubber edges are ideal for cleanup on hard surfaces.

SS CTL

3. Side-Discharge Buckets

Spread sand, sawdust, or straw in livestock stalls; backfill gravel into trenches; or precisely place landscape mulch.

SS CTL

4. Rock Buckets

Ideal for sifting and sorting material, clearing stones, and removing debris. Buckets retain rock and debris while digging.

SS CTL

5. Rail/Heavy-Duty Pallet Forks

Mandatory tool for a wide variety of material-handling tasks. Choose 42- or 48-inch tines.

SS TLB CWL CTL

6. Ag Forks/Utility Grapples

Tines easily penetrate pen-packed material for quick clean-out. Grapple's 4.5- or 1.5-inch tine spacing and one-piece top clamp firmly grip hay and manure.

SS TLB CTL

Square/Round Bale Spears →

Square bale tines and round bale spears are retained with bolts, making them easier to replace. Helps eliminate weld fractures, too.

SS TLB CWL CTL



Grow your productivity.

Worksite Pro attachments are designed to optimize performance and productivity. Their heavy-duty construction ensures maximum uptime and long life — whether you're hoisting hay bales, digging ditches, or rooting out rocks. What's more, Worksite Pro attachments are compatible among a number of machines throughout the John Deere CWP lineup, letting you increase utilization in a wide variety of tasks.

SS Skid Steer

TLB 110 Tractor Loader Backhoe

CWL Compact Wheel Loader

CEX Compact Excavator

CTL Compact Track Loader

Easy to use, so you can get more done and undone.

Multi-machine compatibility. Intuitive controls. Numerous configurations. The John Deere Worksite Pro lineup offers it all. Hydraulic-driven tools such as trenchers and cold planers are available in both standard and high-flow variations, giving you exactly what you need to get more work done — or undone. When it's productivity you want, it's a Worksite Pro attachment you need.



SS Skid Steer

TLB 110 Tractor Loader Backhoe

CWL Compact Wheel Loader

CEX Compact Excavator

CTL Compact Track Loader



1



2



3



1. Mulching Head

Sixty-inch-wide rotor and 36 double carbide-tipped teeth shred woody materials into beneficial mulch in just minutes.

SS CTL

2. Rotary Cutters

Double-edge blades, fast blade-tip speed, and tapered side-discharge chute ensure clean cutting and maximum material shredding.

SS CTL

3. Cold Planers

Ideal for milling damaged asphalt and concrete surfaces. Available in standard and high-flow models.

SS CTL

4. Vibratory Rollers

Powerful compactor produces up to 9,370 pounds of easy-to-control force. Choose the width and compaction force you need in padded or sheeps-foot configurations.

SS CTL

5. Scrap/Tined Grapples

Scrap grapple has a solid bottom and a heavy-duty cutting edge. All feature two dual-action grapples for better material retention.

SS CWL CTL

6. Buckets

Numerous multipurpose, construction, dirt, foundry, utility, and tooth buckets are available in varying widths and capacities.

SS TLB CWL CTL

Breakers

Compact size and high power-to-weight ratio let these breakers work where others won't.

SS CEX CTL



4



5



6

1. Trenchers

Choose 36-, 48-, and 60-inch digging depths; high- and low-flow versions. Heavy-duty drive system eliminates chain reduction.

SS CTL

2. Dozer Blades

Rugged blades come standard equipped with reversible cutting edges and skid shoes for long-term durability. Power angle and tilt let you make adjustments on-the-go.

SS CTL

3. Power Rakes

Perfect for seedbed or site prep. Exclusive forward and backward operation. Adjustable end plates provide box-scraper-like performance.

SS CTL

4. Augers

Planetary auger drives offer reverse rotation for quick back-outs, plus a variety of auger bit styles and diameters.

SS TLB CWL CEX CTL

5. Landplanes

Provide versatile, cost-efficient productivity for finish work. Front and rear cutting edges allow controlled grading and leveling in forward or reverse.

SS CTL

6. Roller Levels

Unique front roller gives total control for contouring, grading, cutting, and smoothing flat or significantly sloped terrain.

SS CTL



1



4



2



5



3



6



Backhoes

Four models connect quickly without tools and offer simple two-lever operation. Digging depths range from 7–11 feet.

SS CTL



Go deeper.

Any attachment can help you do more. But only John Deere Worksite Pro attachments are backed by more than 1,200 dealer locations, extensive parts inventories at 10 North American depots, and a one-year unlimited-hour warranty. When it comes to providing the uptime and response you need, we dig deeper.

Make the most of your investment year-round.

Don't let the weather dampen your plans. Equipped with any of these Worksite Pro attachments, neither rain nor snow will keep you from the swift completion of your duties. What's more, these foul-weather friends will expand the year-round opportunities for your machines, helping make the most of your investment.



Snow Blades

Blade angles hydraulically 30 degrees right or left. Trip springs protect vehicle from sudden impacts. Easy-to-adjust skid shoes and replaceable ½-inch-thick cutting edges are standard; rubber edges are available.

SS **CWL** **CTL**



1



2



3



4

1. Snow Pushers

Quickly and efficiently remove large accumulations of snow from sidewalks, parking lots, and driveways. Available pullback edge is ideal for work in confined areas and around obstructions.

SS CWL CTL

2. Snow Blowers

Two-stage hydraulic blowers throw snow up to 45 feet. Simplified direct-drive hydraulic motor design eliminates chains and sprockets. Skid shoes adjust easily, and bolt-on wear-resistant tapered steel edges are simple to replace.

SS CTL

3. Brooms

Angle and pickup styles available. Heavy-duty high-torque drive motors and 50/50 poly wire brush segments ensure long-term dependability.

SS TLB CWL CTL

4. Steel Tracks

Self-cleaning design reduces ground pressure and helps improve traction and flotation in soft, muddy, or loose conditions. Smooths the ride on rough terrain, too.

SS

Worksite Pro Attachment Compatibility

	Skid Steers							Compact Track Loaders					Compact Excavators					Tractor Loader Backhoe	Compact Wheel Loader
	313	315	318D	320D	326D	328D	332D	CT315	319D	323D	329D	333D	17D	27D	35D	50D	60D	110 TLB	244J*
Ag Forks																			
AF60	•	•						•											
AF66	•	•	•	•				•											
AF72			•	•	•	•		•	•	•									
AF78			•	•	•	•			•	•									
Augers (Planetary Drive)																			
PA15	•	•						•	•				•	•					
PA30			•	•	•	•	•		•	•	•	•			•	•	•	•	•
Backhoes																			
BH7	•WT	•WT	•	•				•	•	•									
BH8			•WT	•WT	•	•	•		•	•	•	•							
BH9			•WT	•WT	•	•	•		•	•	•	•							
BH11			•WT	•WT	•	•	•		•	•	•	•							
Backhoe/Excavator Buckets																			
9 in.													•						
12 in.													•	•	•	•	•	•	•
16 in.													•						
18 in.													•	•	•	•	•	•	•
20 in.																			•
24 in.														•	•	•	•	•	•
30 in.														•	•	•	•	•	•
34 in.															•				
36 in.																•	•	•	•
Bale Spears																			
Round and Square	•	•	•	•	•	•	•	•	•	•	•	•							•
Breakers																			
HH15	•	•	•	•				•					•	•					
HH30	•	•	•	•	•	•		•	•	•				•	•				•
HH50	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•
HH75			•	•	•	•	•	•	•	•	•	•			•	•	•	•	•
Brooms (Angle/Pickup)																			
BA72	•	•	•	•	•	•	•	•	•	•	•	•							
BA84			•	•	•	•	•		•	•	•	•							
BP72	•	•	•	•	•	•	•	•	•	•	•	•							
BP84			•	•	•	•	•		•	•	•	•							
BR60	•	•						•											
BR72	•	•	•	•	•	•	•	•	•	•	•	•						•	
BR84			•	•	•	•	•		•	•	•	•							•



	Skid Steers							Compact Track Loaders					Compact Excavators					Tractor Loader Backhoe	Compact Wheel Loader
	313	315	318D	320D	326D	328D	332D	CT315	319D	323D	329D	333D	17D	27D	35D	50D	60D	110 TLB	244J*
Buckets																			
Construction 66 in.		•	•	•															
Construction 72 in.				•	•	•	•		•	•								•	
Construction 76 in.				•	•	•	•		•	•	•	•							
Construction 78 in. (HD)				•	•	•	•		•	•	•	•							•
Construction 84 in. (HD)				•	•	•	•		•	•	•	•							•
Dirt 56 in.	•	•																	
Dirt 60 in.	•	•	•	•															
Dirt 66 in.	•	•	•	•				•											
Foundry 66 in.	•	•	•	•				•											
Foundry 72 in.				•	•	•	•		•	•								•	
Foundry 78 in. (HD)				•	•	•	•		•	•	•	•							
Multipurpose 66 in.				•	•			•											
Multipurpose 72 in.				•	•	•	•		•	•								•	
Multipurpose 78 in.				•	•	•	•		•	•	•	•							
Multipurpose 84 in.					•	•	•			•	•	•							
Rock R66	•	•	•	•				•											
Rock R75				•	•	•	•		•	•	•	•						•	
Rock R84				•	•	•	•		•	•	•	•							
Tooth 60 in.	•	•	•	•															
Tooth 66 in.	•	•	•	•				•											
Tooth 72 in.				•	•	•	•		•	•								•	
Tooth 76 in.				•	•	•	•		•	•	•	•							
Tooth 78 in. (HD)				•	•	•	•		•	•	•	•							•
Tooth 84 in. (HD)				•	•	•	•		•	•	•	•							•
Utility 66 in.	•	•	•	•				•											
Utility 72 in.				•	•	•	•		•	•								•	
Utility 78 in. (HD)				•	•	•	•		•	•	•	•						•	•
Utility 84 in. (HD)				•	•	•	•		•	•	•	•						•	•
Cold Planers																			
CP12C		•	•	•	•	•		•	•	•	•								
CP18C				•HF	•HF	•HF	•HF			•HF	•HF	•HF							
CP24C					•HF	•HF	•HF				•HF	•HF							
CP30C					•HF	•HF	•HF				•HF	•HF							
Dozer Blades																			
DB84				•	•	•			•	•									
DB96						•	•				•	•							

Worksite Pro Attachment Compatibility (continued from pages 12–13)

	Skid Steers							Compact Track Loaders					Compact Excavators					Tractor Loader Backhoe	Compact Wheel Loader
	313	315	318D	320D	326D	328D	332D	CT315	319D	323D	329D	333D	17D	27D	35D	50D	60D	110 TLB	244J*
Grapples																			
Brush Tined GT72			•	•	•	•			•	•									•
Brush Tined GT80				•	•	•	•		•	•	•	•							•
Scrap GS60	•	•						•											
Scrap GS66	•	•	•	•				•											
Scrap GS72			•	•	•	•	•		•	•									
Scrap GS78				•	•	•	•		•	•	•	•							•
Scrap GS84					•	•	•		•	•	•	•							•
Utility Ag CU60	•	•						•											
Utility Ag CU66	•	•	•	•				•											
Utility Ag CU72			•	•	•	•			•	•								•	
Utility Ag CU78			•	•	•	•			•	•									
Landplanes																			
LP72	•	•	•	•	•			•	•	•									•
LP78				•	•	•	•		•	•	•	•							•
LP84					•	•	•		•	•	•	•							
Material/Manure Scrapers																			
MS60	•	•						•											•
MS72	•	•	•	•				•	•										•
MS84			•	•	•	•	•		•	•	•	•							
MS96			•	•	•	•	•		•	•	•	•							
Mulching Head																			
MH60					•HF	•HF	•HF												•HF
Pallet Forks																			
Rail	•	•	•	•	•	•	•	•	•	•	•	•							•
Heavy Duty					•	•	•		•	•	•	•							•
Power Rakes																			
PR60	•	•						•											
PR72B	•	•	•	•	•	•	•	•	•	•									
PR84B			•	•	•	•	•		•	•	•	•							
PR96B				•	•	•	•		•	•	•	•							
Roller Levels																			
RL66	•	•	•	•	•			•	•	•									
RL84					•	•	•		•	•	•	•							
Rotary Cutters																			
RC60L	•	•	•	•				•											
RC72					•	•	•						•	•					
RC72L	•	•	•	•				•	•	•									
RC78					•	•	•						•	•					



	Skid Steers							Compact Track Loaders					Compact Excavators					Tractor Loader Backhoe	Compact Wheel Loader	
	313	315	318D	320D	326D	328D	332D	CT315	319D	323D	329D	333D	17D	27D	35D	50D	60D	110 TLB	244J*	
Rotary Tillers																				
RT52			•	•	•	•	•		•	•	•	•								
RT66			•	•	•	•	•		•	•	•	•								
Side-Discharge Buckets																				
SA60	•	•	•	•				•	•	•										
SA72					•	•	•				•	•								
SD72	•	•	•	•	•	•		•	•	•										
SD84				•	•	•	•		•	•	•	•								
Snow Blowers																				
SB60	•	•						•												
SB72			•	•					•	•										
SB72H		•HF	•HF	•HF						•HF										
SB78				•	•	•	•			•	•	•								
SB78H		•HF	•HF	•HF	•HF	•HF				•HF	•HF	•HF								
SB84					•	•	•			•	•	•								
SB84H					•HF	•HF	•HF				•HF	•HF								
Snow Pushers																				
SP8			•	•	•	•	•		•	•	•	•						•	•	
SP10					•	•	•		•	•	•	•								•
Snow/Utility Blades																				
BL6B	•	•						•												
BL7B		•	•	•	•	•	•	•	•	•	•	•						•		
BL8B			•	•	•	•	•		•	•	•	•						•		
BL9B			•	•	•	•	•		•	•	•	•								•
BL10B					•	•	•		•	•	•	•								•
Steel Tracks																				
10 in.	•	•	•	•																
12 in.				•	•	•														
14 in.						•	•													
Three-Point Hitch	•	•	•	•	•	•	•		•	•	•	•						•		
Trenchers																				
TR36B	•	•	•	•	•	•	•	•	•	•	•	•								
TR48B	•	•	•	•	•	•	•	•	•	•	•	•								
TR60B			•HF	•HF	•HF	•HF	•HF			•HF	•HF	•HF								
Vibratory Rollers																				
VR66C	•WT	•WT	•WT	•WT	•	•	•	•	•	•	•	•								
VR66C Sheeps-foot	•WT	•WT	•WT	•WT	•	•	•	•	•	•	•	•								
VR73C					•	•	•		•	•	•	•								
VR73C Sheeps-foot					•	•	•		•	•	•	•								
VR84C					•	•	•		•	•	•	•								

HD=Heavy Duty WT=Requires Additional Weights HF=Requires High Flow

*Requires the skid-steer interface in order to operate.

Get attached quickly with John Deere Credit.

With John Deere Worksite Pro attachments, you've got plenty of choices. And we can hook you up with the right financing, too. From flexible rates to flexible payments, our solutions are as varied as the products they support. Contact your John Deere dealer today and find out just how easy it is to get attached to the tools you need.



This literature has been compiled for worldwide circulation. While general information, pictures, and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options, and accessories NOT AVAILABLE in all regions. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specifications, design, and price of products described in this literature without notice.

www.JohnDeere.com